

DATA SHEET

HIGH POWER / SPEAKERS / PASSIVE



HIGH POWER PASSIVE SPEAKER

	۲	•)	
1097			
		FONESTAR	
	3	0	



 $\odot$ 

Great performance and fidelity

Great frequency response.

Compact housing and reduced weight

Carrying handles and 35 mm tube hole

ESPECIALLY RECOMMENDED IN:

+ Info:



 چۇم ا







Hospitality

All sectors



https://fonestar.com/FORCE-X12

**FONESTAR** 

Poligono Trascueto. 39600 Revilla de Camargo. Cantabria (España)

Hotels



## DESCRIPTION

Exceptional performance for your professional sound projects

The FORCE-X12 is a high-power passive loudspeaker designed to deliver impeccable sound in professional installations. Its lightweight, rugged construction and advanced technical specifications make it an indispensable tool for audio system engineers and installers.

Versatility and durability for any application

Impressive power: with 1,000 W peak power, this loudspeaker ensures outstanding performance in events, auditoriums and industrial applications.

Professional sound quality: equipped with a 12-inch woofer and a 1-inch compression driver, it offers a frequency response of 50-20,000 Hz with a sensitivity of 97 dB and a sound pressure of up to 122 dB.

Robust and functional design: made of durable, lightweight plastic, it features carrying handles, a 35 mm tube mounting hole and M8 suspension points for various installation options.

Why choose the FORCE-X12 for your projects?

Precise coverage: 90° x 60° coverage angle, ideal for even sound dispersion.

Reliable connectivity: two 4-pin speaker connectors ensure a solid connection in any installation.

Easy handling and transport: its 15 kg weight and ergonomic design make it easy to transport and install, even in challenging locations.

The FORCE-X12 is the perfect solution for those looking for a powerful, durable passive loudspeaker that is adaptable to a variety of professional sound reinforcement needs.

## **TECHNICAL CHARACTERISTICS**

FEATURES	High power passive speaker. Durable, lightweight plastic case. Carrying handles. Hole in the base for 35 mm tube.	
POWER	1,000 W Peak 350 W RMS 2-way (bass: 300 W + treble: 50 W)	
LOUDSPEAKERS	1 x high-capacity 12" woofer: coil 75 mm, ferrite magnet 170 x 20 mm 1 x compressor driver: 1" mouth, 34 mm coil, ferrite magnet 90 x 15 mm	
RESPONSE	50-20,000 Hz	
IMPEDANCE	8 Ohm	
SENSITIVITY	97 dB at 1 W/1 m	
SOUND PRESSURE	122 dB at max. W/1 m	



FONESTAR

+ Info:

https://fonestar.com/FORCE-X12

Poligono Trascueto. 39600 Revilla de Camargo. Cantabria (España)



DISPERSION	90° H x 60° V
CONNECTORS	2 x 4-contact loudspeaker connectors (1+, 1-)
CROSSOVER	Passive, 2-way Crossover frequency 2,000 Hz, -12 dB/octave
COLOUR	Black
DIMENSIONS	350 x 600 x 350 mm depth
WEIGHT	15 kg

**FONESTAR** 

+ Info:

https://fonestar.com/FORCE-X12

Poligono Trascueto. 39600 Revilla de Camargo. Cantabria (España)