

CASSA PASSIVA 160W, 8X3" IN ALLUMINIO 100V FULL RANGE COLORE NERO



Sistema passivo

Custodia in alluminio estruso

Altoparlante full range 8 x 3", 3PN16

Dispersione H x V: 120° x 20°

Picco SPL: 123 dB

Trasformatore multipresa 100/70V incluso

Funzionamento a bassa/alta impedenza

Reference: Q-83-T

Questo sistema è progettato per locali di piccole e medie dimensioni. La stretta dispersione verticale (20°) impedisce l'uscita del campo di riverbero, migliorando l'intelligibilità in spazi come centri culturali, musei, sale conferenze... il tutto offrendo una riproduzione musicale superba.

La struttura in alluminio e il kit IP-66 ne fanno una scelta altamente affidabile e resistente, disponibile in qualsiasi colore RAL.

Performance	
Frequency Range (-10 dB)	150 Hz – 20 kHz
Horizontal Coverage (-6 dB)	120°
Vertical Coverage	20°
Nominal Impedance	8 ohms
Transformer Taps 70 V	12.5 W – 25 W – 50 W
Transformer Taps 100 V	25 W – 50 W – 100 W
RMS Power Handling	160 W
Peak Power Handling	640 W
On-axis Sensitivity 1W/1 m	95 dB SPL
Maximum Peak SPL at 1 m	123 dB SPL
Recommended Amplifier	INTEGRAL-A402 INTEGRAL-A404 INTEGRAL-A1002 INTEGRAL-A1004 INTEGRAL-A1602 INTEGRAL-A1604

Recommended Processor	DSP-226
Connectors	
Audio Input Connector	Ceramic Barrier Strip Terminals
Enclosure	
Enclosure Construction	Aluminum
Color	Black
IP Rating	IP66
Depth	130 mm (5,1 in)
Dimensions (H x W x D)	685 x 125 x 130 mm 27,0 x 4,9 x 5,1 in
Net Weight	7,8 kg (17,2 lb)